# National Alcohol Survey NAS12

2009-10 NAS

## **Matrix of Survey Items**

National Alcohol Research Center Thomas Greenfield, P.I., Grant No. P30 AA 05595 (National Institute on Alcohol Abuse and Alcoholism)

# **Alcohol Research Group**

6475 Christie Avenue, Emeryville, CA 94608

Public Health Institute Oakland, CA

(Conducted for ARG by ICF Macro, Inc., Burlington, VT)

Section A – Background Demographics; Insurance, etc.

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
3	Sex	A1	A1	A1	A1	Х
4	Where born	PMQA2	PMQA2	PMQA2	PMQA2	Х
5	Other country	MQA2o	MQA2o	MQA2o	MQA2o	Х
5	Years lived in US	A3	A3	A3	A3	Х
5	Family origin	A4	A4	A4	A4	Х
5	Family origin specified	A4o	A4o	A4o	A4o	Х
5	Ancestors ethnicity	A5	A5	A5	A5	Х
6	Hispanic ethnicity	A6	A6	A6	A6	Х
6	Other Hispanic ethnicity	A6o	A6o	A6o	A6o	
7	Black ethnicity	A7	A7	A7	A7	Χ
7	Other Black ethnicity	A7o	A7o	A7o	A7o	Х
7	Asian ethnicity	A8	A8	A8	A8	Χ
8	Other Asian ethnicity	A8o	A8o	A8o	A8o	
9	Other residential phone numbers	PH1	PH1	PH1	PH1	
9	Number residential phone numbers	PH2	PH2	PH2	PH2	
9	One or more cell phone numbers	Cell a	Cell a	Cell a	Cell a	
9	Number cell phone numbers	Cell b	Cell b	Cell b	Cell b	
9	Phone calls received	Cell c	Cell c	Cell c	Cell c	X
10	Date of birth	PreA10	PreA10	PreA10	PreA10	X
10	Date of birth 2	A10	A10	A10	A10	X
11	Age-current	A11a	A11a	A11a	A11a	X
11	Age-last birthday	A11b	A11b	A11b	A11b	X
11	Computed age	AGE1	AGE1	AGE1	AGE1	X
11	Education	A12	A12	A12	A12	X
11	Full time student?	A12a	A12a	A12a	A12a	X
12	Religion	A13	A13	A13	A13	X
12	Other religion	A13a	A13a	A13a	A13a	
12	Religious reference	MQA13	MQA13	MQA13	MQA13	
13	Denomination	A14	A14	A14	A14	
13	Other denomination	A14a	A14a	A14a	A14a	
13	Religion important	A15	A15	A15	A15	Χ
14	Religion against drinking	A16	A16	A16	A16	Χ
14	Working	A17	A17	A17	A17	Х
14	Unemployed	A17BN	A17BN	A17BN	A17BN	X
15	Income	A18c	A18c	A18c	A18c	X
15	Homelessness-lifetime	A19a	A19a	A19a	A19a	
15	Public assistance programs	A19b	A19b	A19b	A19b	
15	Economic difficulties	A19c	A19c	A19c	A19c	
16	Drive this year	A19d	A19d	A19d	A19d	Х
16	Height	PA20	PA20	PA20	PA20	X
16	Height in feet	A20F	A20F	A20F	A20F	- •
16	Height in meters	A20M	A20M	A20M	A20M	
16	Weight	PA21	PA21	PA21	PA21	X
16	Weight in pounds	A21p	A21p	A21p	A21p	,
16	Weight in Kilograms	A21k	A21k	A21k	A21k	
17	Type health plan	A23	A23	A23	A23	Х
17	No health insurance	AN23b	AN23b	AN23b	AN23b	X
17	Active duty in Armed Forces	A25a	A25a	A25a	A25a	X
18	Current active duty in Armed Forces	A25b	A25b	A25b	A25b	
18	Combat or war zone	A25c	A25c	A25c	A25c	

Section B - Alcohol Consumption: Knupfer Series, Graduated Frequencies, History, etc.

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
18	Frequency wine	B1c	B1c	B1c	B1c	Х
19	Frequency beer	B2c	B2c	B2c	B2c	Х
19	Frequency liquor	B3c	B3c	B3c	B3c	Х
20	Frequency any alcohol	B4c	B4c	B4c	B4c	Х
20	Current drinker	B5	B5	B5		Х
20	Lifetime Abstainer check			B5a	B5a	Х
21	5-6 glasses wine	B6	B6			Х
22	3-4 glasses wine	B7	B7			Х
22	1-2 glasses wine	B8a	B8a			Х
22	5-6 bottles beer	B9	B9			Х
23	3-4 bottles beer	B10	B10			Х
23	1-2 bottles beer	B11a	B11a			Х
23	Drink malt liquor	B11b	B11b			Х
24	Brand and type beer	B11D	B11D			Х
24	Popular beer brand	B11Da	B11Da			Х
25	Beer type category	B11Db	B11Db			Х
25	Malt liquor brand	BN11g	BN11g			Х
26	5-6 liquor drinks	B12	B12			X
26	3-4 liquor drinks	B13	B13			X
26	1-2 liquor drinks	B14	B14			Х
27	Type Spirits preferred	BN14d	BN14d			Х
27	Spirits measuring device	BNC14e	BNC14e			
27	Pour spirits in empty glass	BNC14f	BNC14f			
28	Most drinks per day	B15	B15			X
28	Most drinks per day_2	B15a	B15a	B15a		Х
29	Drink status	drnkstat	drnkstat	drnkstat		Х
29	12+ drinks per day	B16	B16			Х
30	8-11 drinks per day	B17	B17			Х
30	5-7 drinks per day	B18	B18			Х
30	3-4 drinks per day	B19	B19			Х
31	2 drinks per day	BC20a	BC20a			Х
31	1 drink per day	BC20b	BC20b			Х
31	1-2 drinks per day	BC20c	BC20c			Х
32	Number drinks yesterday	BN20D 1	BN20D 1			Х
32	Number drinks specified	BN20D 2	BN20D 2			X
32	How often drunk	B21	B21			X
32	How much to get drunk	B22	B22			X
33	Drove drunk past year	B23	B23			X
33	How often drove drunk	B24	B24			
33	Number drinks before impaired	B25	B25			
33	Money spent on alcohol	B26	B26			
34	\$ on beer, last 30 days	B26a	B26a			
34	\$ on wine, last 30 days	B26b	B26b			
34	\$ on liquor, last 30 days	B26c	B26c			
34	Average drinks per day	B27	B27	B27		Х
34	Drink during meals	B29	B29	B29		

Section B – Alcohol Consumption: Knupfer Series, Graduated Frequencies, History, etc. (Cont'd)

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
35	Age started drinking	B31	B31	B31		Х
35	Most drinks ever	B30	B30	B30		X
35	Age heaviest drink began	BN30B	BN30B	BN30B		
35	Age heaviest drink ended	BN30C	BN30C	BN30C		
36	Drank 5+ during teens	B32A	B32A	B32A		X
36	Drank 5+ during 20's	B32B	B32B	B32B		X
36	Drank 5+ during 30's	B32C	B32C	B32C		X
36	Drank 5+ during 40's	B32D	B32D	B32D		X
38	Women/Men # 4+/5+ past year	B34	B34			X
38	Drank 4+/5+/ year-# times-cat	B35	B35			X

#### Section AN and D - Harms; Health & Work; Family and Others' Alcohol Problems

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
38	Drink hurt friends ever	D1a	D1a	D1a		X
38	Drink hurt friends year	D1b	D1b			Х
38	Drink hurt outlook ever	D2a	D2a	D2a		Χ
39	Drink hurt outlook year	D2b	D2b			X
39	Drink hurt home ever	D3a	D3a	D3a		X
39	Drink hurt home year	D3b	D3b			X
39	Drink hurt money ever	D4a	D4a	D4a		X
39	Drink hurt money year	D4b	D4b			X
39	Drink hurt work ever	D5a	D5a	D5a		Х
39	Drink hurt work year	D5b	D5b			X
40	Drink hurt health ever	D6a	D6a	D6a		X
40	Drink hurt health year	D6b	D6b			X
40	Health harms, internal	D7C1	D7C1	D7C1		
40	Health harms, injury	D7C2	D7C2	D7C2		
40	Health harms, hungover	D7C3	D7C3	D7C3		
40	Health harms, mental	D7C4	D7C4	D7C4		
40	Health harms, rundown	D7C5	D7C5	D7C5		
40	Health harms, sleep problems	D7C6	D7C6	D7C6		
40	Health harms, headaches	D7C7	D7C7	D7C7		
40	Health harms, other	D7C95	D7C95	D7C95		
40	See doctor	D8	D8	D8		Х
40	Number doctor visits	D9	D9	D9		
41	Cost of health harm	D10C	D10C	D10C		
41	Age of first health harm	DN12	DN12	DN12		
41	Health still affected	D11	D11	D11		
41	How long health harm	D13c	D13c	D13c		
41	Physical exercise-current level	AN25	AN25	AN25		Х

#### Section AN and D – Harms; Health & Work; Family and Others' Alcohol Problems (Cont'd)

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
42	Physical exercise other	AN25o	AN25o	AN25o		
42	Physical exercise-how frequent	AN26	AN26	AN26		Х
42	Multivitamin supplements	AN26a	AN26a	AN26a		
42	Self-assessed overall health	AN27	AN27	AN27		Х
42	Health, hypertension	AN30a	AN30a	AN30a		
43	Age told-hypertension	AN31a	AN31a	AN31a		
43	Health, heart problem	AN30e	AN30e	AN30e		
43	Age told- heart	AN31e	AN31e	AN31e		
43	Health, diabetes	AN30g	AN30g	AN30g		
43	Age told-diabetes	AN31g	AN31g	AN31g		
43	Health, injuries	AN30H	AN30H	AN30H		
43	Age told- injuries	AN31H	AN31H	AN31H		
44	Health, stroke	AN30I	AN30I	AN30I		
44	Age told-stroke	AN31I	AN31I	AN31I		
44	Health, cancer	AN30J	AN30J	AN30J		
44	Age told-cancer	AN31J	AN31J	AN31J		
44	Problem drinker	D14	D14	D14	D14	Х
45	Who was problem drinker	D15	D15	D15	D15	
45	Mother relationship	D16	D16	D16	D16	
45	Father relationship	D17	D17	D17	D17	
46	Blood Relatives - Alcoholic	DC20	DC20	DC20	DC20	Х
46	Which blood relatives	D020	D020	D21	D21	Λ
46	Family problems ever	D21a	D22a	D22a	D22a	
47	Family problems year	D22b	D22b	D22b	D22b	
47	Passenger ever	D23a	D23a	D23a	D23a	
47	Passenger year	D23a	D23a	D23a	D23a	
47	Accident ever	D230	D230	D230 D24a	D230	
47	Accident ever	D24a D24b	D24a	D24a	D24a	
47	Assaulted ever	D240 D25a	D240 D25a	D25a	D240 D25a	
47	Assaulted ever	D25a	D25a	D25a	D25a	
	Money problems ever	D250 D26a	D250 D26a	D26a	D26a	
47 48			D26a D26b			
48 48	Money problems year  Vandalized ever	D26b D27a	D260 D27a	D26b D27a	D26b D27a	
48 48		D27a D27b	D27a D27b	D27a D27b	D27a D27b	
	Vandalized year					
48	Concerned ever	D30Na D30Nb	D30Na	D30Na	D30Na	
48	Concerned year		D30Nb	D30Nb	D30Nb	
48	Advised help ever	D28a	D28a	D28a	D28a	
48	Advised help year	D28b	D28b	D28b	D28b	
48	Assisted another ever	D29a	D29a	D29a	D29a	
49	Assisted another year	D29b	D29b	D29b	D29b	
49	Attend AA meeting ever	D31NA	D31NA	D31NA	D31NA	
49	Attend AA meeting year	D31NB	D31NB	D31NB	D31NB	
49	Missed work past year	D30	D30	D30		X
49	Days missed to drink	D31	D31	<u> </u>		
(35)	Current distress			<u> </u>		AN28
49	Late for work past year	D32	D32	D32		
50	Days late due to drink	D33	D33			

#### Section E - Alcohol-Related Problems

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
50	Drink and argue ever	E9a	E9a	E9a		X
50	Drink and argue year	E9b	E9b			X
50	Drink and fight ever	E10a	E10a	E10a		X
50	Drink and fight year	E10b	E10b			X
50	Drink and police ever	E11a	E11a	E11a		X
51	Drink and police year	E11b	E11b			X
51	Kept drinking ever	E28a	E28a	E28a		X
51	Kept drinking year	E28b	E28b			X
51	Sick after drink ever	F3a	F3a	F3a		X
51	Sick after drink year	F3b	F3b			X
51	Drink less effect ever	F5a	F5a	F5a		X
51	Drink less effect year	F5b	F5b			X
52	Skipped meals ever	E1a		E1a		
52	Skipped meals year	E1b				
52	Often drink a.m. ever	E2a		E2a		
52	Often drink a.m. year	E2b				
53	Get over in a.m. ever	E3a		E3a		Х
53	Get over in a.m. year	E3b				X
53	Shakes in a.m. ever	E4a		E4a		X
53	Shakes in a.m. year	E4b				Х
53	Drink interferes ever	E6a		E6a		X
53	Drink interferes year	E6b				X
53	Think drinking ever	E7a		E7a		Α
54	Think drinking year	E7b		Ε/ α		
54	Wake sweating ever	E8a		E8a		Х
54	Wake sweating year	E8b		200		X
54	Drink accident ever	E12a		E12a		X
54	Drink accident year	E12b				X
55	Drink and hurt year	E13a		E13a		X
55	Drink and hurt year	E13b		2100		X
55	Law trouble ever	E14a		E14a		X
55	Law trouble year	E14b		LITA		X
55	Drive arrest ever	E15a		E15a		X
55	Drive arrest year	E15b		LIJA		X
<u>55</u>	Drunk for days ever	E16a		E16a		Λ
56	Drunk for days year	E16b		LTOA		
56	Hard to stop drink ever	E17a		E17a		Х
56	Hard to stop drink ever	E17b		L1/a		X
56	0. 1 .1.1.1	E18a		E18a		X
56	Stopped activities ever Stopped activities year	E18b		Lioa		X
57	Health threat ever	E19a		E19a		X
57 57	Health threat year	E19b		L19a		X
57 57	MD quit drink ever	E20a		E20a		X
57 57	MD quit drink year	E20a		LZUd	1	X
57 57	Lost job to drink ever	E21a		E21a		X
57 57		E21b		E∠Iä		X
	Lost job to drink year			E22a		
58	Co-work drink less ever	E22a		⊏∠∠a		X
58	Co-work drink less year	E22b		F00-	1	X
58	Drink hurt raise ever	E23a		E23a		X
58	Drink hurt raise year	E23b		F0.4		X
58	Spouse angry ever	E24a		E24a		X
58	Spouse angry year	E24b				X

## Section E – Alcohol-Related Problems (Cont'd)

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
59	Spouse leave ever	E25a		E25a		X
59	Spouse leave year	E25b				X
59	Alcoholic ever	E26a		E26a		
59	Alcoholic year	E26b				
59	No memory ever	E27a		E27a		
59	No memory year	E27b				
60	Tried to quit drink ever	E29a		E29a		Х
60	Tried to quit drink year	E29b				Х
60	Criminal justice seek help ever	E30a		E30a		
60	Criminal justice seek help year	E30b				
60	Need more drink ever	E5a		E5a		Х
60	Need more drink year	E5b				X

#### **Section F – Dependence Symptoms**

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
61	Want to quit drink ever	F1a		F1a		X
61	Want to quit drink year	F1b				X
62	Need to drink ever	F2a		F2a		X
62	Need to drink year	F2b				X
62	Depressed drink ever	F4a		F4a		X
62	Depressed drink year	F4b				X
62	Less work for drink ever	F6a		F6a		X
62	Less work for drink year	F6b				X
63	Time lost to drink ever	F7a		F7a		X
63	Time lost to drink year	F7b				X
63	Drink bad health ever	F8a		F8a		X
63	Drink bad health year	F8b				Х
63	Drink bad psych ever	F9a		F9a		Х
63	Drink bad psych year	F9b				X

#### Section G -Pressures to Drink Less

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
64	Guilt or remorse	GN1a				
64	Things you did while drinking	GN2a				
64	Failed normal expectations	GN3a				
64	Spouse less drink ever	G8a		G8a		
65	Spouse less drink year	G8b				
65	Parent less drink ever	G9a		G9a		
65	Parent less drink year	G9b				
65	Relative less drink ever	G10a		G10a		
65	Relative less drink year	G10b				
65	Partner less drink ever	G11a		G11a		
65	Partner less drink year	G11b				
66	Live with less drink ever	G12a		G12a		
66	Live with less drink year	G12b				
66	Friend less drink ever	G13a		G13a		
66	Friend less drink year	G13b				
66	Co-work less drink ever	G14a		G14a		
66	Co-work less drink year	G14b				

#### Section H - Talk to Anyone and Who

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
67	Talked to anyone ever	H1		H1		Х
(46)	Talked to anyone year					H1BN
67	Talked to spouse ever	H2Ca		H2Ca		
67	Talked to spouse year	H2Cb		H2Cb		
67	Talked to relative ever	H4Ca		H4Ca		
67	Talked to relative year	H4Cb		H4Cb		
67	Talked to co-work ever	H8a		H8a		
67	Talked to co-work year	H8b		H8b		
68	Talked to minister ever	Н9а		H9a		
68	Talked to minister year	H9b		H9b		
68	Talked to doctor ever	H10a		H10a		
68	Talked to doctor year	H10b		H10b		
68	Anyone else ever	H11a		H11a		
68	Anyone else year	H11b		H11b		
68	Gone to anyone for drink prob	H12		H12		Х
(46)	How long ago gone to anyone					H12BN

Section H – Gone for Help and Where; Access Barriers

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
69	General hospital ever	H13a		H13a		
69	General hospital last contact	HC13b		HC13b		
69	Social welfare ever	HC17a		HC17a		
69	Social welfare last contact	HC17B		HC17B		
69	AA ever	HC18a		HC18a		
70	AA last contact	HC18b		HC18b		
70	Self-help group ever	HC18aA		HC18aA		
70	Self-help group last contact	HC18aB		HC18aB		
70	Drug TX program ever	HC19a		HC19a		
70	Drug TX program last contact	HC19b		HC19b		
71	EAP ever	HC20a		HC20a		
71	EAP last contact	HC20b		HC20b		
71	DUI program ever	HN21A		HN21A		
71	DUI program last contact	HN21B		HN21B		
71	Private therapist ever	HN22A		HN22A		
71	Private therapist last contact	HN22B		HN22B		
72	Other agency ever	H21a		H21a		
72	Other agency last contact	H21b		H21b		
72	Internet ever	HN33		HN33		Χ
72	Type internet help	HN34		HN34		
72	Professional tx info	HN34B		HN34B		
73	Self-help group info	HN34C		HN34C		
73	On-line drinking assessment	HN34D		HN34D		
73	Considered help	H22		H22		X
73	Did not have a problem	H23		H23		
73	People would find out	H24		H24		
74	Can't pay for help	H25		H25		
74	Where to get help	H26		H26		
74	Problems getting help	H27		H27		
74	No one understands me	H28		H28		
74	Language problem	H29		H29		
74	Racial problem	H30		H30		
75	Not serious enough	HN30A		HN30A		
75	Other reason	H31		H31		
75	Other reason specify	H31o		H31o		
75	In recovery from alc problem	HN32		HN32		Χ

Section I – Reasons for Abstaining or Being Careful about How Much You Drink

Page/s	Question	Current	Light	Ex Drinker	Lifetime	Cell Phone
		Drinker	Drinker		Abstainer	Version
76	Bad for health	l1	l1	l1	l1	Χ
76	Family gets upset	13	13	13	13	Χ
76	Against religion	15	15	15	15	
76	Afraid of being alcoholic	16	16	16	16	
77	Behavior you're sorry for	17	17	17	17	
77	Leads to losing control	l10	l10	l10	I10	

#### Section J - Drug Use

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
77	Good way to celebrate	MN24A	MN24A	MN24A	Abstanter	Version
77	Forget about worries	MN24F	MN24F	MN24F		Х
78	Drink when tense and nervous	MN24H	MN24H	MN24H		Λ
78	To be sociable	MN24I	MN24I	MN24I		Х
78	How often prescription drugs	JN0A	JN0A	JN0A	JN0A	X
79	Freq prescription drugs	JN0B	JN0B	014074	014071	X
79	How often marijuana	J1a	J1a		J1a	X
79	Freq drink/marijuana	J1b	J1b		014	X
79	Marijuana medical prescribed	J1c	J1c			
80	How often other drug	J3CA	J3CA	J3CA	J3CA	Х
(50)	How often alcohol with drug	3337.	0007.	00071	000/1	J3CBN
80	How often uppers	J4a	J4a	J4a	J4a	
80	Freq drink/uppers	J4b	J4b			
80	Freq prescribe uppers	J4c	J4c			
81	How often downers	J5a	J5a	J5a	J5a	
81	Freq drink/downers	J5b	J5b			
81	Freq prescribe downers	J5c	J5c			
81	How often cocaine/crack	J2a	J2a	J2a	J2a	
82	Freq drink/cocaine/crack	J2b	J2b			
82	Ecstasy or MDMA	J3a	J3a	J3a	J3a	
82	Ecstasy with alcohol	J3b	J3b			
82	How often heroin	J6a	J6a	J6a	J6a	
83	Freq drink/heroin	J6b	J6b			
83	How often painkillers	J7a	J7a	J7a	J7a	
83	Freq drink/painkillers	J7b	J7b			
83	Freq prescribe painkiller	J7c	J7c	J7c	J7c	
84	How often LSD	J8a	J8a	J8a	J8a	
84	LSD with alcohol	J8b	J8b			
84	How often non-prescribed drug	J9ca	J9ca	J9ca	J9ca	
84	Non-prescribed drug with alc	J9cB	J9cB			
85	Ever used marijuana	JN10aa	JN10aa	JN10aa	JN10aa	X
85	Ever smoked cigs/tobacco	JN10a	JN10a	JN10a	JN10a	X
85	Age start smoked cigs	JN10B	JN10B	JN10B	JN10B	
85	How often cigs/tobacco	J10	J10	J10	J10	X
85	Used cigs, tobacco or both	J11a	J11a	J11a	J11a	
86	Avg number cigs per day	J11ba	J11ba	J11ba	J11b1	Х
86	At heaviest use, how often	JN11c	JN11c	JN11c	JN11c	
86	Last time you smoked	JN11	JN11	JN11	JN11	
86	Received TX for alc/drugs	J15	J15	J15	J15	X
87	Most recent treatment	J16	J16	J16	J16	Х
87	Alcohol or drug program	J17	J17	J17	J17	
87	Type of treatment	J18	J18	J18	J18	Х
87	Satisfied with treatment	J19	J19	J19	J19	
87	Treat for relationships	J20	J20	J20	J20	

#### Section J - Drug Use (Cont'd)

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
88	Treat for problems	J21	J21	J21	J21	
88	Treat for legal problems	J22	J22	J22	J22	
88	Treat for health	J23	J23	J23	J23	
88	Treat for mental health	J24	J24	J24	J24	
88	Treat for finances	J25	J25	J25	J25	
88	Help quit drinking	J27	J27	J27	J27	
89	Help reduce drinking	J28	J28	J28	J28	
89	Pressured to go	J26	J26	J26	J26	
89	Court-ordered	J29o	J29o	J29o	J29o	
89	Most important reason	J30	J30	J30	J30	

#### Section K - Injuries & Illnesses; ER & Primary Care Treatment

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
90	Injured past year	K1	K1	K1	K1	X
90	Reason for injury	AK1b	AK1b	AK1b	AK1b	
90	Reason for injury other	AK1Bo	AK1bo	AK1bo	AK1bo	
90	Drink before injury	K2	K2	K2	K2	Х
91	Drink caused injury	K3	K3	K3	K3	Х
91	Drug before injury	K4	K4	K4	K4	Х
91	Drug injury treated	K5	K5	K5	K5	Х
91	Where drug injury treat	K6	K6	K6	K6	Х
91	Treated injuries past yr	K7	K7	K7	K7	
92	Treat recent injury where	K8	K8	K8	K8	
92	Illness past year	K9	K9	K9	K9	
92	Drink before illness	K10	K10			
92	Drink caused illness	K11	K11			
92	Used drug before illness	K12	K12	K12	K12	
93	Drug illness treated	K13	K13	K13	K13	
93	Where drug illness treat	K14	K14	K14	K14	
93	Treated for any illness	K15a	K15a	K15a	K15a	
93	Recent treat where	K16	K16	K16	K16	
93	How often health services/year	K17	K17	K17	K17	
94	ER, last year	KN18	KN18	KN18	KN18	
94	Primary care, last year	KN19	KN19	KN19	KN19	
94	Inpatient hospital, last year	KN20	KN20	KN20	KN20	

Section L - Drinking Contexts and Largest Quantity Occasion

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
94	Go to restaurants	L1C	L1C			
95	Num drinks at restaurant	L7C	L7C			
95	Go to bars	L2C	L2C			
(53)L	Go to bars vcell					L2Cc
95	Num drinks at bars	L8c	L8c			
(54)	Num drinks at bars vcell					L8Cc
95	Go to house parties	L3c	L3c			
(54)	Go to house parties vcell					L3Cc
95	Drink at house parties	L9c	L9c			
(54)	Num drinks house parties vcell					L9Cc
96	Evening at home	L4c	L4c			
96	Num drinks home	L10c	L10c			
96	Friends visit at home	L5c	L5c			
96	Num drinks friends at home	L11c	L11c			
97	W/friends in public place	L6c	L6c			
97	Num drink friends public	L12c	L12c			
97	Drink most, how many	L15	L15			X
97	Most drinks time spent	L16	L16			X
98	12+ drinks per day	L17	L17			
98	8-11 drinks per day	L18	L18			
99	5-7 drinks per day	L19	L19			
99	3-4 drinks per day	L20	L20			
99	1-2 drinks per day	L21	L21			

#### Section M - Situational Norms & Drinking Attitudes

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
100	Drinks at party okay	M1	M1	M1	M1	X
100	Drinks man bar/friends	M4	M4	M4	M4	X
100	Drinks woman bar/friends	M5	M5	M5	M5	Х
100	Drinks friends at home	M7	M7	M7	M7	Х
101	Drinking is a pleasure	M18	M18	M18	M18	
101	Being friendly	M20	M20	M20	M20	
101	Nothing good	M10	M10	M10	M10	
101	Impt people regular drinkers	MN25A	MN25A	MN25A	MN25A	X
101	Impt people problem drinkers	MN25B	MN25B	MN25B	MN25B	
102	Impt people approve drinking	MN26A	MN26A	MN26A	MN26A	X
102	Impt people approve reg drinks	MN26B	MN26B	MN26B	MN26B	
102	Impt people approve drunk	MN26C	MN26C	MN26C	MN26C	

#### Section N - Criminal Justice Involvement

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
102	Arrests since 18 years	N1	N1	N1	N1	
103	Arrest past year	N2	N2	N2	N2	
103	Convicted since 18 yrs	N3	N3	N3	N3	
103	Convicted past year	N4	N4	N4	N4	
103	Recent conviction/drink	N5	N5	N5	N5	

Section O - CES-D8 (8-item Depression Scale); Impulsivity etc.

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
103	2 yrs+, sad, blue or depressed	ON1b	ON1b	ON1b	ON1b	
104	2 weeks+ sad, blue or depressed	ON1a	ON1a	ON1a	ON1a	
104	How much current distress	AN28	AN28	AN28	AN28	
104	Bothered by things	01	O1	01	01	
104	Felt depressed	O2	O2	O2	O2	
105	Hopeful about future	O3	O3	O3	O3	
105	Restless sleep	04	04	04	04	
105	Нарру	O5	O5	O5	O5	
105	Lonely	O6	O6	O6	O6	
106	Enjoyed life	07	07	07	07	
106	Sad	08	O8	O8	08	
106	Spur of the moment	O9	O9	O9	O9	
106	Kick out of danger	O10	O10	O10	O10	
107	Like to do chancy things	011	011	011	011	
107	Like excitement	O13	O13	O13	O13	
107	Like new sensations	O15	O15	O15	O15	
107	Impulsive	O16	O16	O16	O16	
107	Good time worth risk	O18	O18	O18	O18	
108	Emotional help	O34	O34	O34	O34	
108	Talk about problems	O37	O37	O37	O37	
108	Family tries to help	ON38	ON38	ON38	ON38	
108	Family accepts me	ON40	ON40	ON40	ON40	
109	Treated unfairly	O28	O28	O28	O28	Х
109	Don't know what to do	O29	O29	O29	O29	
109	Bad things happen	O30	O30	O30	O30	
109	Little meaning	O31	O31	O31	O31	

Section P - Marital & Child Items; Pregnancy & Health

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
110	Marital status	P1	P1	P1	P1	Х
110	Children <17 in household	P2A	P2A	P2A	P2A	Х
110	Housing situation	P2BN	P2BN	P2BN	P2BN	Х
110	Affected by recession	A18DN 2	A18DN 2	A18DN 2	A18DN 2	Х
110	Reduced work hours Jan 08	A18EN 1A	A18EN 1A	A18EN 1A	A18EN 1A	
111	Reduced work hours this year	A18EN 1B	A18EN 1B	A18EN 1B	A18EN 1B	
111	Who reduced hours	A18EN 1C	A18EN 1C	A18EN 1C	A18EN 1C	
111	Lost job Jan 08	A18EN 2A	A18EN_2A	A18EN 2A	A18EN 2A	
111	Lost job this year	A18EN 2B	A18EN 2B	A18EN 2B	A18EN 2B	
111	Who lost job	A18EN 2C	A18EN 2C	A18EN 2C	A18EN 2C	
111	Trouble paying rent Jan 08	A18EN 3A	A18EN 3A	A18EN 3A	A18EN 3A	
111	Lost housing Jan 08	A18EN 4A	A18EN 4A	A18EN 4A	A18EN 4A	
112	Lost savings Jan 08	A18EN 5A	A18EN 5A	A18EN 5A	A18EN 5A	
112	Bankruptcy Jan 08	A18EN 6A	A18EN 6A	A18EN 6A	A18EN 6A	
112	Pregnant past 15 mths	PN3A	PN3A	PN3A	PN3A	Χ
112	Pregnant now	P4	P4	P4	P4	X
112	Num mths pregnant last year	PN4a	PN4a	PN4a	PN4a	
113	Num weeks realized pregnant	PN4B	PN4B	PN4B	PN4B	
113	Num drink realized pregnant	PBC30B	PBC30B	PBC30B		
113	Freq vitamins while pregnant	PN4D	PN4D	PN4D		Х
113	2 weeks+ sad while pregnant	PN4C	PN4C	PN4C		
114	Num drinks while preg per day	PBC30a	PBC30a	PBC30a		Х
114	Num wine while preg per day	PBC30C	PBC30C	PBC30C		
114	Num beer while preg per day	PBC30D	PBC30D	PBC30D		
115	Num spirits while preg per day	PBC30E	PBC30E	PBC30E		
115	12+ drinks per day preg	PB16	PB16	PB16		
115	8-11 drinks per day preg	PB17	PB17	PB17		
116	5-7 drinks per day preg	PB18	PB18	PB18		
116	3-4 drinks per day preg	PB19	PB19	PB19		
116	2 drinks per day preg	PB20a	PB20a	PB20a		
117	1 drink per day preg	PB20b	PB20b	PB20b		
117	Bev mostly drank while preg	PN4E	PN4E	PN4E		
(58)	Bev most drank while preg cell					PN4En
117	Drink with meal while preg	PN4f	PN4f	PN4f		
118	Child abuse, physical	PN1	PN1	PN1	PN1	Χ
118	Child abuse-parent	PN1A-1	PN1A-1	PN1A-1	PN1A-1	
118	Child abuse -other family	PN1A-2	PN1A-2	PN1A-2	PN1A-2	
118	Child abuse -non-family	PN1A-3	PN1A-3	PN1A-3	PN1A-3	
118	Child abuse -parentage	PN2-1	PN2-1	PN2-1	PN2-1	
118	Child abuse other family-age	PN2-2	PN2-2	PN2-2	PN2-2	
119	Child abuse -non-family-age	PN2-3	PN2-3	PN2-3	PN2-3	
119	Child abuse-sexual	PN3	PN3	PN3	PN3	X
119	Sexual abuse-parent	PN3An-1	PN3An-1	PN3An-1	PN3An-1	
119	Sexual abuse -other family	PN3An-2	PN3An-2	PN3An-2	PN3An-2	
119	Sexual abuse -non-family	PN3An-3	PN3An-3	PN3An-3	PN3An-3	
119	Sexual abuse -parentage	PN4-1	PN4-1	PN4-1	PN4-1	

Section P - Marital & Child Items; Pregnancy & Health (Cont'd)

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
120	Sexual abuse -other family-age	PN4-2	PN4-2	PN4-2	PN4-2	70.0.0
120	Sexual abuse -non-family-age	PN4-3	PN4-3	PN4-3	PN4-3	
120	Adult abuse- physical	PN5	PN5	PN5	PN5	Х
(59)	Adult abuse-physical year					PN5 1
120	Adult abuse -partner	PN5A-1	PN5A-1	PN5A-1	PN5A-1	
120	Adult abuse -family	PN5A 2	PN5A 2	PN5A 2	PN5A 2	
120	Adult abuse - else	PN5A 3	PN5A 3	PN5A 3	PN5A 3	
120	Adult abuse-partnercurrent	PN6 1	PN6 1	PN6 1	PN6 1	
121	Adult abuse-partner >12mths	PN6a 1	PN6a 1	PN6a 1	PN6a 1	
121	Adult abuse-familycurrent	PN6_2	PN6 2	PN6 2	PN6 2	
121	Adult abuse-family > 12 mths	PN6a 2	PN6a 2	PN6a 2	PN6a 2	
121	Adult abuse -else-current	PN6 3	PN6 3	PN6 3	PN6 3	
121	Adult abuse– else > 12 mths	PN6a 3	PN6a 3	PN6a 3	PN6a 3	
121	Adult abuse-severe physical	PN7	PN7	PN7	PN7	Χ
(59)	Adult abuse- severe physical vear					X PN7_1
122	Severe abuse-partner	PN7A-1	PN7A-1	PN7A-1	PN7A-1	
122	Severe abuse -family	PN7A-2	PN7A-2	PN7A-2	PN7A-2	
122	Severe abuse - else	PN7A-3	PN7A-3	PN7A-3	PN7A-3	
122	Severe abuse -current	PN8-1	PN8-1	PN8-1	PN8-1	
122	Severe abuse >12 mths	PN8a 1	PN8a_1	PN8a 1	PN8a 1	
123	Severe abuse -current	PN8-2	PN8-2	PN8-2	PN8-2	
123	Severe abuse> 12 mths	PN8a 2	PN8a 2	PN8a 2	PN8a 2	
123	Severe abuse - else-current	PN8-3	PN8-3	PN8-3	PN8-3	
123	Severe abuse – else >12 mths	PN8a_3	PN8a 3	PN8a 3	PN8a 3	
123	Adult abuse-sexual	PN9	PN9	PN9	PN9	Χ
(60)	Adult abuse-sexual year					PN9 1
123	Adult sex -partner	PN9A-1	PN9A-1	PN9A-1	PN9A-1	
123	Adult sex -family	PN9A-2	PN9A-2	PN9A-2	PN9A-2	
123	Adult sex -else	PN9A-3	PN9A-3	PN9A-3	PN9A-3	
124	Adult sex-partner-current	PN10-1	PN10-1	PN10-1	PN10-1	
124	Adult sex -partner >12 mos	PN10a_1	PN10a_1	PN10a_1	PN10a_1	
124	Adult sex -family—current	PN10-2	PN10-2	PN10-2	PN10-2	
124	Adult sex- family > 12 mths	PN10a_2	PN10a_2	PN10a_2	PN10a_2	
124	Adult sex - else-current	PN10-3	PN10-3	PN10-3	PN10-3	
124	Adult sex -current > 12 mths	PN10a_3	PN10a_3	PN10a_3	PN10a_3	
125	Physically injured from abuse	PN10B	PN10B	PN10B	PN10B	
125	Physical injuy as child	PN10b_1	PN10b_1	PN10b_1	PN10b_1	
125	Phys injury as adult > 12 mos	PN10b_2	PN10b_2	PN10b_2	PN10b_2	
125	Physical injury current	PN10b_3	PN10b_3	PN10b_3	PN10b_3	

#### Section Q - Sexuality

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
126	Sexual orientation	Q24	Q24	Q24	Q24	X
127	Prefer men or women	Q25	Q25	Q25	Q25	

## Section R - Policy Opinions

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
127	Alcohol tax	R1	R1	R1	R1	
127	Alcohol education	R6	R6	R6	R6	
127	Alcohol treat insured	R15	R15	R15	R15	
127	Easy to buy alcohol	R8	R8	R8	R8	
128	Alcohol warning labels	R10	R10	R10	R10	
128	Nutrition labels	R16N	R16N	R16N	R16N	

#### Section S - Spanish Acculturation

Page/s	Question	Current	Light	Ex Drinker	Lifetime	Cell Phone
		Drinker	Drinker		Abstainer	Version
128	Speak Spanish	S1	S1	S1	S1	Х
128	Speak English	S2	S2	S2	S2	Х
128	Speak to partner	S3	S3	S3	S3	
129	Speak to children	S4	S4	S4	S4	
129	Speak to siblings	S5	S5	S5	S5	
129	Speak to parents	S6	S6	S6	S6	
129	Speak to relatives	S7	S7	S7	S7	
129	Speak to friends	S8	S8	S8	S8	
130	Speak to neighbors	S9	S9	S9	S9	
130	Speak to co-workers	S10	S10	S10	S10	
130	Race stereotypes affect me	SN11_A	SN11_A	SN11_A	SN11_A	Х
130	Race influence others with me	SN11_b	SN11_b	SN11_b	SN11_b	
131	Race not equal with others	SN11_C	SN11_C	SN11_C	SN11_C	
131	Discrimination at school	SN12a	SN12a	SN12a	SN12a	
131	Discrimination getting hired	SN12b	SN12b	SN12b	SN12b	
131	Discrimination at work	SN12c	SN12c	SN12c	SN12c	
131	Discrimination getting house	SN12d	SN12d	SN12d	SN12d	
132	Discrimination getting care	SN12e	SN12e	SN12e	SN12e	
132	Discrimination at store	SN12f	SN12f	SN12f	SN12f	
132	Discrimination getting credit	SN12g	SN12g	SN12g	SN12g	
132	Discrimination in public	SN12h	SN12h	SN12h	SN12h	
132	Discrimination from police	SN12i	SN12i	SN12i	SN12i	

Section Y - Follow-up Information

Page/s	Question	Current Drinker	Light Drinker	Ex Drinker	Lifetime Abstainer	Cell Phone Version
132	Follow-up agree	Y1	Y1	Y1	Y1	Х
133	First name	fname	fname	fname	fname	Х
133	Last name	Iname	Iname	Iname	Iname	Х
133	Address and phone #	PADD	PADD	PADD	PADD	Х
133	Address and phone given	ADD	ADD	ADD	ADD	X
133	Apartment no	aptno	aptno	aptno	aptno	Х
133	City live in	Pcity	Pcity	Pcity	Pcity	X
133	City	City	City	City	City	Х
133	State live in	Pstate	Pstate	Pstate	Pstate	Х
133	State	State	State	State	State	Х
133	Zip code live in	pzipcode	pzipcode	pzipcode	pzipcode	Х
133	Zip code	zipcode	zipcode	zipcode	zipcode	Х
(62)	Spouse full name		•			PSOUSE
(62)	Spouse first name					SPFNAME
(62)	Spouse middle name					SPMNAME
(62)	Spouse last name					SPLNAME
134	Landline number	LLPHONE1	LLPHONE1	LLPHONE1	LLPHONE1	
134	Landline in name	LLPHONE2	LLPHONE2	LLPHONE2	LLPHONE2	
134	Cell phone	Pcphone	Pcphone	Pcphone	Pcphone	
134	Internet access	Inet1	Inet1	Inet1	Inet1	
135	Have email address	Email1	Email1	Email1	Email1	Х
135	Email address	Pemail2	Pemail2	Pemail2	Pemail2	Х
135	Email address given	Email2	Email2	Email2	Email2	
135	Geocode info	geocode	geocode	geocode	geocode	Х
135	Geocode zip	geozip	geozip	geozip	geozip	Х
135	Geocode street name	pgeostr	pgeostr	pgeostr	pgeostr	
135	Geocode street address	Geost1	Geost1	Geost1	Geost1	
136	Geocode corner street	Geost2	Geost2	Geost2	Geost2	
136	Years at current address	yraddr	yraddr	yraddr	yraddr	Х
136	How long at current address	Yraddr2	Yraddr2	Yraddr2	Yraddr2	Х
(64)	At current address next year					PY3
(64)	Address next year					Y3
(64)	State next year					Y3s
(64)	Zip next year					Y3z
136	Follow-up name – relative	Y2	Y2	Y2	Y2	Х
136	F-up first name	Y2P1FN	Y2P1FN	Y2P1FN	Y2P1FN	Х
136	F-up last name	Y2P1LN	Y2P1LN	Y2P1LN	Y2P1LN	Х
136	F-up relationship	Y2P1REL	Y2P1REL	Y2P1REL	Y2P1REL	Х
136	F-up mailing address	Y2P1ADD	Y2P1ADD	Y2P1ADD	Y2P1ADD	Х
136	F-up apt no	Y2P1APT	Y2P1APT	Y2P1APT	Y2P1APT	Х
136	F-up city	Y2P1C	Y2P1C	Y2P1C	Y2P1C	С
136	F-up state	Y2P1S	Y2P1S	Y2P1S	Y2P1S	С
136	F-up zip	Y2P1Z	Y2P1Z	Y2P1Z	Y2P1Z	С
136	F-up phone	Y2P1T	Y2P1T	Y2P1T	Y2P1T	С

#### **Section Z - Interviewer Observations**

Page/s	Question	Current	Light	Ex Drinker	Lifetime	Cell Phone
		Drinker	Drinker		Abstainer	Version
137	Respondent cooperated	Z1	Z1	Z1	Z1	X
137	Respondent interested	Z2	Z2	Z2	Z2	X
137	Interview quality	Z3	Z3	Z3	Z3	X
137	Interview questionable quality	Z4	Z4	Z4	Z4	X
137	Respondent lied	Z5	Z5	Z5	Z5	X
137	Reasons suspect lies	Z6	Z6	Z6	Z6	X
137	Anything unusual	Z7	Z7	<b>Z</b> 7	<b>Z</b> 7	X
138	Anything unusual specified	Z7o	Z7o	Z7o	Z7o	X